



0010

February 5, 1992

RECEIVED
FEB 10 1992
DIVISION OF
OIL GAS & MINING

Mr. Don Ostler, Bureau Director
State of Utah
Division of Water Quality
Department of Environmental Quality
Salt Lake City, Utah 84114-4870

RE: NPDES PERMIT UT-0023540

Dear Mr. Ostler:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - I-3 and Utah Coal Mining Rules R645-301-731.223, Utah Fuel Company is herewith providing the written notification of a failure to comply with the maximum effluent limitations for TDS and sulfate at the 001 discharge point.

The problem occurred with the sample taken December 11, 1991. The laboratory report received on December 26, 1991, had obvious errors. Correspondence dated January 30, 1992, corrected the TDS exceedance. A sulfate exceedance of 800 mg/l, 300 mg/l above the limit of 500 mg/l, was inadvertently omitted for the December 11, 1991, sample.

Sincerely,

Keith W. Welch

Keith W. Welch
Environmental Coordinator

KWW/gb/412

xc: Division of Oil, Gas & Mining
Michael Reed, EPA
Glen A. Zumwalt
Ken May
Keith Zobell

Utah Fuel Company

A SUBSIDIARY OF THE COASTAL CORPORATION
P. O. BOX 219 • HELPER UT 84526 • 801 637 7925 • FAX 801 637 7929
SALT LAKE 801 536 7111